

FRP
CEMENT
CASTING
PLATE

FRP CEMENT CASTING PLATES CATALOGUE
WWW.E-V-C.COM

A grayscale photograph of a textured, rocky surface, possibly a planetary or lunar landscape. The surface is covered in various ridges, grooves, and small craters, creating a complex, uneven topography. The lighting is directional, casting shadows that emphasize the three-dimensional nature of the terrain. In the center of the image, the text "WWW.E-V-C.COM" is overlaid in a white, sans-serif font.

WWW.E-V-C.COM

Product description

Product categories

Bamboo

Fold

Deposition rock

Casting plate

Norm of grain stone

Sansheng stone

Qingtian stone

Case appreciation

Specifications

Enterprise brief introduction

Product architecture



Product Description/FRP cement cast plate

FRP cement two materials,FRP material is composed of glass fiber, resin, stone powder and other composite materials, through rubbing, mold opening, sizing, mold, color, molding and other processes to form a highly creative finish performance effect.



Product classification: bamboo/fold/molten rock/pouring plate/clear grain stone/
Sansheng stone/Qingtian stone

Surface treatment: oil paint/water paint

Fire rating: cement class A, resin class B

Applicable space: commercial, display, public buildings

Applicable parts: indoor, wall and ceiling

Cement products: heavier than FRP material, strong rigidity, poor toughness

FRP products: toughness is better than cement products, can do 45° radian

Note: Not linked



Cement material back

FRP material back

FRP水泥浇筑板



· Bamboo

Name: bamboo
Specification: 600 * 3200 mm
Material: Cement /FRP
Surface treatment: oily paint
Regular color: g ray



FRP水泥浇筑板——竹(白)



FRP水泥浇筑板——竹(黑)



FRP水泥浇筑板——竹(土黄)

Comparison: cement cast board bamboo mold is cheaper than the price

Note: Only punch, no die



Advantages: Ruffled silver can achieve the effect of tin foil and waterproof and fireproof

FRP CEMENT T CASTING PLATE



①

Fold - black 褶-黑



②

Fold - white 褶-白



③

Fold - grey 褶-灰



④

Fold - yellow 褶-黄



⑤

Fold - silver 褶-银

Fold

Name: fold
Specification: 1000 * 3000 mm
Material: FRP
Surface treatment: oily paint
Regular color: black , white, gray,
yellow and silver

FRP水泥浇筑板



WWW.E-V-C.COM



WWW.E-V-C.COM



FRP水泥浇筑板



WWW.E-V-C.COM



① Molten rock - white 熔积岩—白



② Molten rock - ash 熔积岩—灰



③ Molten rock - earthy yellow 熔积岩—土黄



④ Molten rock - black 熔积岩—黑

Deposition rock

Specification: 1300 * 3000 mm

Material: FRP

Surface treatment: water-based paint

Regular color: black , white, gray and yellow

FRP水泥浇筑板





①
Clear grain stone - black
晰纹石—黑



②
Clear grain stone - white
晰纹石—白



③
Clear grain stone - gray
晰纹石—灰



④
Clear grain stone - earthy yellow
晰纹石—土黄

Norm of grain stone

Name: clear grain stone
Specification: 1200 * 3200 mm
Material: FRP
Surface treatment: water-based paint



①
Sansheng stone - black



②
Sansheng stone - white



③
Sansheng stone - ash



④
Sansheng stone - earth yellow

Sansheng stone

Name: Sansheng stone

Specification: 1200 * 3200 mm

Material: FRP

Surface treatment: water-based paint

Regular color: black, white, gray and yellow



FRP CEMENT CASTING PLATE

WWW.E-V-C.COM

Sansheng stone advantage

- 1.FRP material three raw stone,seamless connection,good deco rative effect;
2. Light and ductile , orderly surface texture, realistic texture;
3. Install and transport quickly.

Qingtian Stone No.1
青田石1号
(黑、白、灰、黄)



Qingtian Stone No.2
青田石2号
(黑、白、灰、黄)



Qingtian Stone No.3
青田石3号
(黑、白、灰、黄)




Qingtian Stone No.4
青田石4号
(黑、白、灰、黄)



Qingtian Stone No.5
青田石5号
(黑、白、灰、黄)



Qingtian Stone No.6
青田石6号
(黑、白、灰、黄)





Qingtian stone



Name: Qingtian Stone

Specification: Qingtian Stone No.1 400*2400mm

Qingtian Stone No.2 2400*440mm

Qingtian Stone No.3 2400*600mm

Qingtian Stone No.4 2350*600mm

Qingtian Stone No.5 2400*600mm

Qingtian Stone No.6 2350*800mm

Material: Cement /FRP

Surface treatment: water-based paint

Regular color: black , white, gray and yellow



WWW.E-V-C.COM

WWW.E-V-C.COM



错缝漏浆木纹 Wood grain with misjoint leakage

规则 Size: 1200*3200mm



德清石 Deqing stone

规则 Size: 1200*2900mm



立体木纹板 Three-dimensional wood grain plate

规则 Size: 1200*3200mm



流水石 Flowing water stone

规则 Size: 1200*3200mm(1100*3100mm)



Imitation brick wall
Size: 1200*3200mm



FRP水泥浇筑板



新开岩 Newly opened rock

规则 Size: 1200*3200mm



竹凹纹 Bamboo concave grain

规则 Size: 600*3150mm



竹凸纹新款 Bamboo embossed new style

规则 Size: 600*3150mm

FRP水泥浇筑板

WWW.E-V-C.COM

BAG C



劈开岩-白色 Split up rock-white



劈开岩-灰色 Split up rock-grey



劈开岩-黑色 Split up rock-black



劈开岩-土黄 Split up rock-Earthy yellow



劈开岩-凹模 Split rock - concave mold



劈开岩-凸模 Split Rock - Punch



劈开岩-凹模 (白色) Split rock - concave mold (gray)



劈开岩-凸模 (白色) Split rock - convex mold (white)



劈开岩-凹模 (灰色) Split rock - concave mold (gray)



劈开岩-凸模 (灰色) Split rock - convex mold (gray)



劈开岩-凹模 (黄色) Split rock - concave mold (yellow)



劈开岩-凸模 (黄色) Split rock - convex mold (yellow)

劈开岩 Split up rock

常规颜色：黑白灰黄


规则 Size: 1200*3200mm 1000*3050mm
1200*3000mm



Walk on the Moon

规则 Size: 3100*950mm





①
Striated rock - No. 1
连纹页岩石—1号



②
Striated rock - No. 2
连纹页岩石—2号



③
Striated rock - No. 3
连纹页岩石—3号



④
Striated rock - No. 4
连纹页岩石—4号

Striated rock

Name: laminated page rock
Size: 2980*980mm
Material: FRP
Finish: Water based paint
Regular color: Black



①
Striated rock - No. 1
连纹页岩石—1号



②
Striated rock - No. 2
连纹页岩石—2号



③
Striated rock - No. 3
连纹页岩石—3号



④
Striated rock - No. 4
连纹页岩石—4号

Striated rock

Name: laminated page rock
Size: 2980*980mm
Material: FRP
Finish: Water based paint
Regular color: white



①
Striated rock - No. 1
连纹页岩石—1号



②
Striated rock - No. 2
连纹页岩石—2号



③
Striated rock - No. 3
连纹页岩石—3号



④
Striated rock - No. 4
连纹页岩石—4号

Striated rock

Name: laminated page rock
Size: 2980*980mm
Material: FRP
Finish: Water based paint
Regular color: ash



①
Striated rock - No. 1
连纹页岩石—1号



②
Striated rock - No. 2
连纹页岩石—2号



③
Striated rock - No. 3
连纹页岩石—3号



④
Striated rock - No. 4
连纹页岩石—4号

Striated rock

Name: laminated page rock
Size: 2980*980mm
Material: FRP
Finish: Water based paint
Regular color: yellowish brown

FRP CEMENT CASTING PLATE

WWW.E-V-C.COM



涟漪-白色 Ripple White



涟漪-黑色 Ripple - Black



涟漪-黄色 Ripple - Yellow



涟漪-灰色 Ripple Grey

Ripple pattern

Size: 1050*3200mm



古城堡纹-白色 Ancient Castle Pattern - White



古城堡纹-黑色 Ancient Castle Pattern - Black



古城堡纹-黄色 Ancient Castle Pattern - Yellow



古城堡纹-灰色 Ancient Castle Pattern-grey

— Ancient City Castle Pattern

— — — —

Size: 1350*3250mm



锯木板-白色 Sawn wooden boards - White



锯木板-黑色 Sawn wooden boards - Black



锯木板-黄色 Sawn wooden boards- Yellow



锯木板-灰色 Sawn wooden boards-grey

Sawn wooden boards

Size: 1150*2950mm



火星岩-黑色 Martian Rock - Black



火星岩-黄色 Martian Rock - yellow



火星岩-灰色 Martian Rock - grey



火星岩 Martian Rock - yellow

Martian rock

Size: 1200*3200mm



Transparent Black Mountain Rock (Black)



Transparent Black Mountain Rock (White)



Transparent Black Mountain Rock (Yellow)



Transparent Black Mountain Rock (Gray)

Transparent black rock

Size: 1200*3200mm

SAMPLE PROJECTS

WWW.E-V-C.COM

FRP CEMENT CASTING PLATE



WWW.E-V-C.COM



WWW.E-V-C.COM



CASTING PLATE





FRP水泥浇筑板-熔积岩-材料实景应用案例







WWW.E-V-C.COM



KARMA STONE









Specifications

Tools: toothless saw, structural glue, FRP cement decorative plate, level, box ruler, modifier, color paste

Paving and pasting process:


- 1: Check whether the products are damaged after arrival;
- 2: cutting: toothless saw/tile cutting saw, cutting on the back, so as not to damage the surface color, etc.;
- 3: Repair: first fill the gap with repair agent, and then brush the color paste
- 4: construction: construction level measurement wall flatness, box ruler measurement installation position, flat cement wall can be directly structure adhesive paste, paste good and then fixed with air nails, uneven wall with woodworking board, on the back of the product coated with structural adhesive paste can be;
- 5: FRP material has a certain toughness, can do 45° arc.

Note for construction:

The interior wall can not be used to do the base, because there is paper on the surface of the gypsum board, causing the paste is not firm.

A: One kilogram for every three pieces of pouring plate and one kilogram for every two pieces of other plate.

B Color paste: 3 meters long gap, with half a kilogram of color paste.



EVC
company

<http://www.e-v-c.com/>

Product architecture		
custom wall panel	Ultra-thin stone	B series metal profile
Wooden plate	Volcanic Rocks	Aluminum foam
Commercial space veneer fire panels	Metal plated stone brick	Z series aluminum foam
Ultra clear mirror plate	Xuangu volcanic rock	Living moss
Plaster texture plate	Z series PU decorative panel	Creative modular custom products
Starry sky top acoustic board	H series PU large board	Mosaic of resin
Y series acrylic sheet	B series PU decorative panel	Y series creative module
Transparent art cement	PU decorative panel	Commercial special board
N-series cement casting plate	Fusion Cement member	H Series Outdoor flooring
C series soft stone	D series modeling brick	N series handmade brick
Art poured board	M series component bricks	Super black brick
Cement decorative board	K series foamed ceramics	Dupont paper
S series soft stone	K series crystal brick	Weaving of bamboo and rattan
3D cement brick	Hollow glass brick	The deep mirror
FRP cement casting plate	X series jade glass	Cement component lighting system
Microcement siding	T series crystal brick	PU component lighting system
Perlite board	J series water corrugated plate	D series foamed ceramics
Church art glass	Aluminum embossed plate	B series metal lines
X series hand sanded brick	FRP emerald grille	French textured paper
led photoglass (hard)	Outlet tile	

